

Fig. 2




Fig. 3

```

5    <?xml version="1.0" encoding="UTF-8"?>
    <!DOCTYPE dviml PUBLIC "-//DVIML//DTD DVIML 0.1//EN"
    "http://nda.nokia.com/DTD/dviml0.1.xml">
    <dviml version="0.10">
    Giant Deep-Sea Creature
    <area concat="true">
      <segment char="200" >
        Amazes Spanish Scientists
      </segment>
10    <segment char="200">
      Friday November 3 4:35 PM ET    MADRID (Reuters) <br/>
      <segment>
      <segment char="50">
15    Fishermen off northern Spain have captured a giant
      specimen of a strange, light-emitting, deep sea
      cephalopod, scientists said Friday.
      </segment>
      <segment char="100">
20    The octopus-like creature, a taningia danae, weighs in
      at 275 pounds, measures seven feet and is easily the
      biggest of its type discovered. Disappointingly for big
      eaters near the Asturian port of Ribadesella it will not
      end up on their plates, but will be preserved and
      displayed in a marine center whose most impressive
25    cephalopod to date was a mere 140 pound example.
      </segment>
    </area>
    <area concat="false">
      <segment char="50">
30    picture50
      </segment>
      <segment char="200">
      picture200
      </segment>
35    </area>
    </dviml>

```

Fig. 4




Fig. 5

```

5    <?xml version="1.0" encoding="UTF-8"?>
    <!DOCTYPE wml PUBLIC "-//WAPFORUM//DTD WML 1.1//EN"
    "http://www.wapforum.org/DTD/wml_1.2.xml">
    <wml xmlns:nda="http://nda.nokia.com/deviceAdapter">
6      <card>
7        <p>
8          Giant Deep-Sea Creature
9          <nda:area nda:concat="true">
10             <nda:segment nda:char="200" >
11               Amazes Spanish Scientists
12             </nda:segment>
13           </nda:area>
14         </p>
15         <p>
16           <nda:area nda:concat="true">
17             <nda:segment nda:char="200">
18               Friday November 3 4:35 PM ET
19               MADRID (Reuters) <br/>
20             </nda:segment>
21             <nda:segment nda:char="50">
22               Fishermen off northern Spain have captured a giant
23               specimen of a strange, light-emitting, deep sea
24               cephalopod, scientists said Friday.
25             </nda:segment>
26             <nda:segment nda:char="100">
27               The octopus-like creature, a taningia danae, weighs in
28               at 275 pounds, measures seven feet and is easily the
29               biggest of its type discovered. Disappointingly for
30               big eaters near the Asturian port of Ribadesella it
31               will not end up on their plates, but will be preserved
32               and displayed in a marine center whose most impressive
33               cephalopod to date was a mere 140 pound example.
34             </nda:segment>
35           </nda:area>
36           <nda:area nda:concat="false">
37             <nda:segment nda:char="50">
38               <a href="picture50"> Picture </a>
39             </nda:segment>
40             <nda:segment nda:char="200">
41               <a href="picture200"> Picture </a>
42             </nda:segment>
43           </nda:area>
44         </p>
45       </card>
    </wml>

```

Fig. 6

153

FEATURES	VALUES
Color Capability	Boolean
Graphics	None, Low, Medium, High
Display Size	
Input System	Keypad, Keyboard, Stylus
Network Bandwidth	2G, 2.5G, 3G
(other Features)	(Values of Feature)




155

150

161

163

165

Content-specific Forms of Feature	DVIML Elements	CONTENT EXAMPLE
X, Y	<nda:rigid>	
Aspect Ratio *Y, Y	<nda:shape>	
Columns * Char Width , Y	<nda:columns>	
X, Rows * Char Height	<nda:list>	Menu item 1 Menu item 2 Menu item 3 Menu item 4 Menu item 5 Menu item 6
X, Char Count, Char Height, Columns	<nda:area>	<p>The feature utilization system imposed in Ruedita has two key ideas: the device is presented as an abstract device which has 'developer-friendly' or 'author-friendly' features, shielding the author from brand-names and minor differences between devices. The content is classified into different types which are, on the other hand, 'device-friendly'. These two key ideas are both aimed at making it easier to develop content for the multi device world of the present day.</p>

160

FIG. 7




FIG. 8




FIG. 9

Display Size DVIML Elements and Values

191

Content Characteristic	Relevant Device Display Attribute	DVIML Element	Value for Actual Device	Value for Generic Device
Images (Fixed Form)	X, Y	<rigid>	Zero to infinity and all integers in between (0 to ∞)	Same as for the actual device.
Tables and Vector Graphics (Generated Fixed Form)	ASPECT RATIO	<shape>	Zero to infinity and all numbers in between (0 to ∞)	SQUARE PORTRAIT LANDSCAPE
Columns (Y-Axis Free Form)	COLUMNS	<columns>	Zero to infinity and all integers in between (0 to ∞)	5 10 20+
Lists or Rows (X-Axis Free Form)	ROWS	<list>	Zero to infinity and all integers in between (0 to ∞)	5 10 20+
Text (Bi-axially Free Form)	CHAR COUNT	<area>	Zero to infinity and all integers in between (0 to ∞)	50 100 200+

FIG. 10

Device Profile for Palm Vx (illustrative only)

Feature	Polymorph	Value
Display Size	X, Y	160, 160
	ASPECT RATIO	SQUARE
	COLUMNS	20
	ROWS	20
	CHAR COUNT	200+
Graphics		YES
Color		NO
Keyboard Input		NO
Screen Input		YES

~193

FIG. 11


```

    <?xml version="1.0"?>
    <!DOCTYPE wml PUBLIC "-//WAPFORUM//DTD WML 1.1//EN"
"http://www.wapforum.org/DTD/wml_1.2.xml">
    <wml xmlns:nda="http://nda.nokia.com/deviceAdapter" >
5      <card id="Forecast" newcontext="true" title="Forecast">
        <p align="center">
          <nda:shape>
            <nda:pick nda:aspect_ratio="landscape">
              <table align="CCCCC" columns="5">
10                <tr>
                  <td>M</td>
                  <td>T</td>
                  <td>W</td>
                  <td>Th</td>
15                <td>S</td>
                </tr>
                <tr>
                  <td></img></td>
                  <td></img></td>
                  <td></img></td>
25                <td></img></td>
                  <td></img></td>
                  </tr>
30                <tr>
                  <td>78 F</td>
                  <td>89 F</td>
                  <td>95 F</td>
                  <td>88 F</td>
                  <td>79 F</td>
35                </tr>
                <tr>
                  <td>68 F</td>
                  <td>69 F</td>
                  <td>75 F</td>
40                <td>68 F</td>
                  <td>65 F</td>
                </tr>
              </table>

```

Fig. 13A

```

45      </nda:pick>
      <nda:pick nda:aspect_ratio="portrait">
        <table align="LCR" columns="3">
          <tr>
            <td>M&nbsp;M</td>
            <td></img></td>
            <td>Hi 78 F<br></br>Lo 68 F</td>
          </tr>
          <tr>
            <td>T</td>
55      <td></img></td>
            <td>Hi 89 F<br></br>Lo 69 F</td>
          </tr>
          <tr>
            <td>W</td>
60      <td></img></td>
            <td>Hi 95 F<br></br>Lo 75 F</td>
          </tr>
          <tr>
            <td>Th</td>
65      <td></img></td>
            <td>Hi 88 F<br></br>Lo 68 F</td>
          </tr>
          <tr>
            <td>S</td>
70      <td></img></td>
            <td>Hi 79 F<br></br>Lo 65 F</td>
          </tr>
        </table>
      </nda:pick>
      </nda:shape>
80    </p>
  </card>
</wml>

```

Fig. 13B

FIG. 14




FIG. 14

*Consider an object which has
four features.*

Features = α β χ δ

FIG. 15

*Each Feature may take
different values, denoted by
a different 'font' here.*



α	β	χ	δ
A	B	C	D
<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
A	B	C	D
<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>

FIG. 16

These 'features'
describe a space,
where all possible
combinations of
values exist.




FIG. 17





FIG. 18

New Features extend the 'space'. Until we extend our 'alphabet' we do not recognize this space.

New feature, E



ε	α	β	χ	δ
E	A	B	C	D
E	A	B	C	D
E	A	B	C	D
E	A	B	C	D
E	A	B	C	D
E	A	B	C	D

FIG. 19

Converged feature, D

Old features may converge to a single value, and hence no longer be of interest.



ε	α	β	χ	d
E	A	B	C	D
E	A	B	C	D
E	A	B	C	D
E	A	B	C	D
E	A	B	C	D
E	A	B	C	D

FIG. 20

